

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	145292	digital same analog same convert\$6 same circuit\$6 convert \$6 and n same bit same digital same data and signal\$6 and 2n same step \$6 same select\$6 same unit\$1 and connect\$6 same across same 2n same reference\$6 same voltage\$1 same line\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 14:51
S2	2	digital same analog same convert\$6 same circuit\$6 same convert\$6 and n same bit same digital same data and signal\$6 and 2n same step\$6 same select\$6 same unit\$1 and connect\$6 same across same 2n same reference\$6 same voltage\$1 same line\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 14:53
S3	2	digital same analog same convert\$6 same circuit\$6 same convert\$6 and n same bit same digital same data and signal\$6 and 2n same step\$6 same select\$6 same unit\$1 and connect\$6 same 2n same reference \$6 same voltage \$1 same line\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 14:53

S4	1	digital same analog same convert\$6 same circuit\$6 same convert\$6 and n same bit same digital same data and signal\$6 and 2n same step\$6 same select\$6 same unit\$1 and connect\$6 same 2n same reference \$6 same voltage \$1 same line\$1 and step\$6 same select\$6 same unit and includ\$6 same n same serial\$6 same connect\$6 and analog same switch\$6 same polariz\$6 and match\$6 same logic same state \$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:06
S5	1	digital same analog same convert\$6 same circuit\$6 and convert\$6 and n same bit same digital same data and signal\$6 and 2n same step\$6 same select\$6 same unit\$1 and connect\$6 same 2n same reference \$6 same voltage \$1 same line\$1 and step\$6 same select\$6 same unit and includ\$6 same n same serial\$6 same connect\$6 and analog same switch\$6 same polariz\$6 and match\$6 same logic same state	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:07

		\$1				
S6	2	digital same analog same convert\$6 same circuit\$6 and convert\$6 and n same bit same digital same data and signal\$6 and 2n same step\$6 same select\$6 same unit\$1 and connect\$6 same across same 2n same reference\$6 same voltage\$1 same line\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:31
S7	2	digital same analog same convert\$6 same circuit\$6 and convert\$6 and n same bit same digital same data and signal\$6 and 2n same step\$6 same select\$6 and connect\$6 same across same 2n same reference\$6 same voltage\$1 same line\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:32
S8	2	digital same analog same convert\$6 same circuit\$6 and convert\$6 and n same bit same digital same data and signal\$6 and 2n same step\$6 same select\$6 and connect\$6 same 2n same reference\$6 same voltage\$1 same line\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:32

S9	2	digital same analog same convert\$6 same circuit\$6 and convert\$6 and n same bit same digital same data and signal\$6 and 2n same step\$6 same select\$6 and connect\$6 same 2n same reference\$6 same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:32
S10	2	digital same analog same convert\$6 and convert\$6 and n same bit same digital same data and signal\$6 and 2n same step\$6 same select\$6 and connect\$6 same 2n same reference\$6 same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:33
S11	2	digital same analog same convert\$6 and n same bit same digital same data and signal\$6 and 2n same step\$6 same select\$6 and connect\$6 same 2n same reference\$6 same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:33
S12	305729	digital same analog same convert\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:34
S13	5040	digital same analog same convert\$6 and n same bit same digital same data	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:34

S15	2	digital same analog same convert\$6 and n same bit same digital same data and signal\$6 and 2n same step\$6 same select\$6 and connect\$6 and 2n same reference\$6 same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:35
S16	1	"6,911,926".pn.	USPAT	OR	OFF	2008/02/14 15:37
S17	0	"6,911,926".pn. and digital same analog same convert\$6 and n same bit same digital same data and signal\$6 and 2n same step\$6 same select\$6	USPAT	OR	OFF	2008/02/14 15:37
S18	0	"6,911,926".pn. and digital same analog same convert\$6 and n same bit same digital same data and signal\$6	USPAT	OR	OFF	2008/02/14 15:37
S19	22	digital same analog same convert\$6 and n same bit same digital same data and signal\$6 and 2n same step\$6 same select\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 19:53
S20	12	digital same analog same convert\$6 and n same bit same digital same data and signal\$6 and 2n same step\$6 same select\$6 and ("341"/\$.cls. or "345"/\$.cls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 19:54

5/ 1/ 2008 10:13:55 PM

C:\ Documents and Settings\ pdharia\ My Documents\ EAST\ Workspaces\ 10734300 02-

09-2008.w sp